



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/771,833	01/29/2001		Takehiko Numata	3531.65151	9342
24978	7590	04/14/2004		EXAM	INER
GREER, BU	JRNS &	CRAIN	ORTIZ CRIADO, JORGE L		
300 S WACE 25TH FLOO			ART UNIT	PAPER NUMBER	
	CHICAGO, IL 60606			2655	10
				DATE MAILED: 04/14/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/771,833	NUMATA, TAKEHIKO
Office Action Summary	Examiner	Art Unit
	Jorge L Ortiz-Criado	2655
The MAILING DATE of this communication a Period for Reply	ippears on the cover sheet with	the correspondence address
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If the period for reply specified above is less than thirty (30) days, a r - If NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by state that the period for reply will, by state that the material patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a repl reply within the statutory minimum of thirty (od will apply and will expire SIX (6) MONTH tute, cause the application to become ABAN	ly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).
Status		
 1) Responsive to communication(s) filed on 12 2a) This action is FINAL. 2b) This action is FINAL. 3) Since this application is in condition for allow closed in accordance with the practice under the condition of the c	his action is non-final. wance except for formal matter	
Disposition of Claims		
4) ⊠ Claim(s) <u>1-10</u> is/are pending in the application 4a) Of the above claim(s) is/are withd 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-10</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	lrawn from consideration.	
Application Papers		•
9) The specification is objected to by the Exami 10) The drawing(s) filed on 12 January 2004 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction. The oath or declaration is objected to by the	are: a)⊠ accepted or b)⊡ objustee: he drawing(s) be held in abeyance rection is required if the drawing(s)	e. See 37 CFR 1.85(a).) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a light	ents have been received. ents have been received in Apprincity documents have been re eau (PCT Rule 17.2(a)).	plication No eceived in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892)	رُ 4) ∏ Interview Sui	mmary (PTO-413)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/t Paper No(s)/Mail Date 	Paper No(s)/	Mail Date brmal Patent Application (PTO-152)

Art Unit: 2655

DETAILED ACTION

Claim Rejections - 35 USC § 102

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 1, 2, 7 and 9 are rejected under 35 U.S.C. 102(e) as being anticipated by Senshu U.S. Patent No. 6,058,099.

Regarding claim 1, Senshu discloses an optical storage medium having land tracks and groove tracks alternately formed and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks (See Abstract), comprising:

a plurality of first ID portions respectively having first track addresses as consecutive numbers given to said land tracks (See col. 3, lines 39-52, "consecutive odd numbers"; Figs. 3,5,6,13) and

a plurality of second ID portions respectively having second track addresses as consecutive numbers given to said groove tracks independently of said consecutive numbers of said first track addresses (See col. 3, lines 39-52, "consecutive even numbers"; Figs. 3,5,6,13)

Regarding claim 2, Senshu discloses wherein each of said first ID portions has a first identifier for identifying said land tracks (See col. 4, lines 29-35; Figs. 3,5,6,13) and

Art Unit: 2655

each of said second ID portions has a second identifier for identifying said groove tracks (See col. 4, lines 29-35; Figs. 3,5,6,13) and

wherein each of said first ID portions is provided in each of first headers (See col. 4, lines 29-35; Figs. 3,5,6,13) and

each of said second ID portions is provided in each of second headers (See col. 4, lines 29-35; Figs. 3,5,6,13)

Regarding claim 7, Senshu discloses an optical storage device for transferring information by logical block addresses to an optical storage medium having land tracks and groove tracks alternately formed and given a plurality of track addresses and a plurality of sector addresses (See col. 6, lines 11-15), comprising:

a producing unit for producing said logical block addresses for giving consecutive numbers to said track addresses of one kind of said land tracks and said groove tracks in each sector (See col. 3, lines 39-52; "consecutive even numbers"; col. 6, lines 16-18, Fig. 3,8,16),

giving consecutive numbers to said track addresses of the other kind of said land tracks (See col. 3, lines 39-52, "consecutive odd numbers"; Fig. 3,8)

and said groove tracks in each sector so that said consecutive numbers of said track addresses of the other kind are consecutive to said consecutive numbers of said track addresses of said one kind (See col. 3, lines 39-52; "odd consecutive numbers and even consecutive numbers"; Fig. 3,8); and

Art Unit: 2655

a converting unit for converting said logical block addresses into said track addresses and said sector addresses of said optical storage medium (See col. 6, lines 28-35).

Regarding claim 9, Method claim 9 is drawn to the method of using the corresponding optical storage device claimed in claim 7. Therefore method claim 9 corresponds to device claim 7 and is rejected for the same reasons of anticipation as used above.

Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claims 3-6, 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Senshu U.S. Patent No. 6,058,099 in view of Horimai et al. U.S. Patent 6,215,758.

Regarding claims 3 and 5, Senshu discloses an optical storage medium having land tracks and groove tracks, and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks (See col. 3, lines 39-52; Figs. 3,5,6,13)) comprising:

a plurality of first ID portions respectively having first track addresses as consecutive numbers given to said land tracks (See col. 3, lines 39-52, "consecutive odd numbers"; Figs. 3,5,6,13);

Art Unit: 2655

and a plurality of second ID portions respectively having second track addresses as consecutive numbers given to said groove tracks (See col. 3, lines 39-52, "consecutive odd numbers"; Figs. 3,5,6,13)

said consecutive numbers of said (second, first) track addresses being consecutive to said consecutive numbers of said (first, second) track addresses (See col. 3, lines 39-52, "consecutive odd numbers", "consecutive even numbers" and "consecutive number"; Figs. 3,5,6,13).

said consecutive numbers of said (first, second) track addresses being consecutive to said consecutive numbers of said (second, first) track addresses in its immediately (See col. 3, lines 39-52, "consecutive odd numbers", "consecutive even numbers" and "consecutive numbers between first and second addresses"; Figs. 3,5,6,13).

Senshu further teaches the use of having land tracks and groove tracks alternately formed and divided into a plurality of groups (See col. 4, lines 56-67). But Senshu does not expressly disclose having a plurality of groups.

However this feature its well known in the art as evidenced by Horimai et al., which discloses having land tracks and groove tracks alternately formed and divided into a plurality of groups (See Abstract, Figs. 1, 2) and having portions respectively having addresses for the grooves and land tracks (See Fig. 28).

Therefore it would have been obvious to one with ordinary skill in the art at the time of the invention to include land tracks and groove tracks alternately formed and divided into a plurality of groups and include said consecutive numbers of said first track addresses in any one of said groups being consecutive to said consecutive numbers of said second track addresses in its immediately preceding group in order to format of a recording medium suitable for a larger

Art Unit: 2655

capacity providing high transfer rate, and integration of pits/lands/grooves as suggested by Horimai et al.

Regarding claims 4 and 6, Senshu further discloses wherein each of said first ID portions has a first identifier for identifying said land tracks (See col. 4, lines 29-35; Figs. 3,5,6,13),

and each of said second ID portions has a second identifier for identifying said groove tracks (See col. 4, lines 29-35; Figs. 3,5,6,13),

and wherein each of said first ID portions is provided in each of first headers and each of said second ID portions is provided in each of second headers (See col. 4, lines 29-35; Figs. 3,5,6,13)

Regarding claim 8, Senshu discloses an optical storage device for transferring information by logical block addresses to an optical storage medium having land tracks and groove tracks alternately formed and given a plurality of track addresses and a plurality of sector addresses (See col. 6, lines 11-15), comprising:

a producing unit for producing said logical block addresses for dividing said land tracks and said groove tracks, giving consecutive numbers to said track addresses of one kind of said land tracks and said groove tracks in each sector (See col. 3, lines 39-52; "consecutive even numbers"; col. 6, lines 16-18, Fig. 3,8,16),

giving consecutive numbers to said track addresses of the other kind of said land tracks and said groove tracks (See col. 3, lines 39-52, "odd consecutive numbers and even consecutive numbers"; Fig. 3,8)

Art Unit: 2655

so that said consecutive numbers of said track addresses of the other kind are consecutive to said consecutive numbers of said track addresses of said one kind (See col. 3, lines 39-52; "consecutive odd numbers", "consecutive even numbers" and "consecutive numbers between the two kinds"; Fig. 3,8); and

a converting unit for converting said logical block addresses into said track addresses and said sector addresses of said optical storage medium (See col. 6, lines 28-35).

Senshu further teaches the use of having land tracks and groove tracks alternately formed and divided into a plurality of groups (See col. 4, lines 56-67). But Senshu does not expressly disclose dividing the lands and the grooves into groups.

However this feature its well known in the art as evidenced by Horimai et al., which discloses having land tracks and groove tracks alternately formed and divided into a plurality of groups (See Abstract, Figs. 1, 2) and having portions respectively having addresses for the grooves and land tracks (See Fig. 28).

Therefore it would have been obvious to one with ordinary skill in the art at the time of the invention to include land tracks and groove tracks alternately formed and divided into a plurality of groups and giving consecutive numbers to said track addresses of said one kind in the group next to said any group in each sector so that said consecutive numbers of said track addresses of said one kind in said next group are consecutive to said consecutive numbers of said track addresses of the other kind in said any group by providing continuity between the land and the groove tracks as teaches by Senshu and further in order to format of a recording medium suitable for a larger capacity providing high transfer rate, as suggested by Horimai et al.

Application/Control Number: 09/771,833 Page 8

Art Unit: 2655

Regarding claim 10, Method claim 10 is drawn to the method of using the corresponding optical storage device claimed in claim 8. Therefore method claim 10 corresponds to device claim 8 and is rejected for the same reasons of obviousness as used above.

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - a. J.P. Pub. No. 09-035272 to Hiroki, which discloses an optical storage medium having land tracks and groove tracks alternately formed and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks and comprising a plurality of first ID portions respectively having first track addresses as consecutive numbers given to said land tracks; and a plurality of second ID portions respectively having second track addresses of consecutive numbers given to said groove tracks independently of said consecutive numbers of said first track addresses.
 - b. U.S. Patent No. 5,995,458 to Itoi, which discloses an optical storage medium having land tracks and groove tracks alternately formed and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks having first track addresses as consecutive numbers given to said land tracks and having second track addresses of consecutive numbers given to said groove tracks independently of said consecutive numbers of said first track addresses.
 - c. U.S. Patent No. 5,862,112 to Nagai et al., which discloses an optical storage medium having land tracks and groove tracks alternately formed and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks

Application/Control Number: 09/771,833 Page 9

Art Unit: 2655

and comprising a plurality of first ID portions respectively having first track addresses as consecutive numbers given to said land tracks; and a plurality of second ID portions respectively having second track addresses as consecutive numbers given to said groove tracks independently of said consecutive numbers of said first track addresses.

- d. U.S. Patent No. 6,128,272 to Horimai et al., which discloses an optical storage medium having land tracks and groove tracks alternately formed and divided into a plurality of groups and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks.
- e. U.S. Patent No. 6,252,845 to Hino et al., which discloses an optical storage medium having land tracks and groove tracks alternately formed and capable of recording and/or reproducing information with respect to said land tracks and said groove tracks a plurality of first ID portions respectively having first track addresses a plurality of second ID portions respectively having second track addresses and divided into a plurality of groups.

Response to Arguments

6. Applicant's arguments, see page 3, lines 3-7, filed 1/12/2004, with respect to claims 1-14 rejected under 102(e) on the basis of Nagata et al. have been fully considered and are persuasive. The rejection of claims 1-14 has been withdrawn.

Art Unit: 2655

7. Applicant's arguments filed 1/12/04 have been fully considered but they are not persuasive.

Applicant's response to the rejection of claims 1,2,7 and 9 as unpatentable over Senshu and claims 3-6, 8 and 10 as unpatentable over Senshu in combination with Horimai et al.

Applicants argued that Senshu does not disclose or suggest a track addressing system of the present invention having a plurality of first ID portions respectively having first track addresses as consecutive numbers given to said land tracks and a plurality of second ID portions respectively having second track addresses as consecutive numbers given to said groove tracks.

The Examiner cannot concur because Senshu discloses a plurality of first ID portions respectively having first track addresses as consecutive numbers given to the land tracks ("consecutive odd numbers") and a plurality of second ID portions respectively having second track addresses as consecutive numbers given to the groove tracks ("consecutive even numbers"). The odds numbers are numbers independently from even numbers, and even numbers are consecutive as odd numbers are consecutive (i.e. even consecutive numbers 2,4,6,8... etc. and odd consecutive numbers 1,3,5,7... etc.).

Applicants argued that unlike the prior art (Senshu) is not necessary to switch servo conditions and recording/reproducing conditions between the tracks at the time of track accessing and also argued and relies on the regarding access method of the prior art (Senshu).

The Examiner cannot find where, when or how the track accessing of the present claims invention are performed or cited in the claims. The numbering of the tracks does not necessary provides the accessing order of the tracks because the numbering of the tracks could be used merely for track identification and or as differentiates between grooves from lands.

Art Unit: 2655

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., "accessing of the tracks") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jorge L Ortiz-Criado whose telephone number is (703) 305-8323. The examiner can normally be reached on Mon.-Thu.(8:30 am - 6:00 pm), Alternate Fridays off.

Art Unit: 2655

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris H To can be reached on (703) 305-4827. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

joc

DORIS H. TO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600